

General Use Hand Crank Hose Reels | Series CU / CT

Light Duty Hand Crank Hose Reels

CU Series Air/Water - 3/8" & 1/2" I.D.

Reelcraft's Series CU hose reels are designed for lighter-duty applications that require longer lengths of low pressure air/water hose. Hand crank with a balanced brass swivel and brass inlet, Series CU is the product of lighter weight components and forward-thinking design. The series CU is an economical choice for storing and retrieving hose.

CU6050LN



CT Series Pressure Wash - 3/8" I.D.

Reelcraft's Series CT conveniently stores longer lengths of high pressure wash hose. These reels feature a balanced brass swivel and brake assembly attached to the main shaft, eliminating de-spooling when reel is not in use. The inlet hose connects to the swivel through the tubular base. The reel is powder coated at the component level for maximum corrosion resistance.

NEW!

CT6050HN



✓ **Superior corrosion-resistance**



Components are powder coated prior to assembly for maximum corrosion resistance.

✓ **Reel protects hose**

Reel stores long lengths of expensive hose out of harm's way. Hose makes smooth transition onto reel to minimize friction.

✓ **Innovative braking mechanism**

Series CU & CT feature a unique friction brake that prevents de-spooling of hose while reel is not in use.



Model without Hose & bumper	Weight		Pressure		Hose I.D.		Hose O.D.		(M)NPTF Reel Outlet	(F)NPTF Reel Inlet	Hose Length	
	lbs	kg	psi	bar	in	mm	in	mm	in	in	ft	m
Low Pressure Air/Water Reels Maximum Temperature 150° F (65° C)												
CU6050LN	10	4.5	300	21	3/8	10	.600	15	3/8	3/8	50	15
CU6100LN	13	6	300	21	3/8	10	.600	15	3/8	3/8	100	30
CU8050LN	12	5.8	300	21	1/2	13	.750	19	1/2	1/2	50	15
CU8100LN	17	8	300	21	1/2	13	.750	19	1/2	1/2	100	30
High Pressure Wash Reels Maximum Temperature 210° F (99° C)												
CT6050HN	10	4.5	5000	345	3/8	10	.600	15	3/8	3/8	50	15
CT6100HN	13	6	5000	345	3/8	10	.600	15	3/8	3/8	100	30

Reels are supplied without hose; assemblies will be quoted upon request.

Available Options

Inlet Hose Assemblies
See page 49



Replacement Hoses
See page 50

